

VU Research Portal

Alignment with Kalman filter fitted tracks and reconstruction of $B^0/s \rightarrow J/\psi$ decays

Amoraal, J.

2011

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Amoraal, J. (2011). *Alignment with Kalman filter fitted tracks and reconstruction of $B^0/s \rightarrow J/\psi$ decays*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Table Of Contents

Introduction	1
1 CP Violation In $B_s^0 \rightarrow J/\psi\phi$	3
1.1 CP Violation In The Standard Model	3
1.2 The Unitary Triangles	5
1.3 Neutral B Mesons	7
1.3.1 Mixing	8
1.3.2 Decay rates	10
1.4 CP Violation In B Decays	11
1.4.1 CP violation in decay	11
1.4.2 CP violation in mixing	12
1.4.3 CP violation in the interference between decays with & without mixing .	12
1.5 $B_s^0 \rightarrow J/\psi\phi$	13
1.6 Enter LHCb	17
2 The LHCb Experiment	19
2.1 The LHC	19
2.1.1 b production at the LHC	21
2.2 The LHCb Detector	21
2.2.1 The LHCb coordinate system	22
2.2.2 Luminosity at the LHCb interaction point	23
2.3 Tracking Detectors	24
2.3.1 The Vertex Locator (VELO)	24
2.3.2 The Tracker Turicensis (TT) and the Inner Tracker (IT)	25
2.3.3 The Outer Tracker (OT)	26
2.4 Particle Identification Detectors	28
2.4.1 The Ring Imaging Čerenkov Detectors (RICH1 and RICH2)	28
2.4.2 The Calorimeters (ECAL and HCAL)	29
2.4.3 The Muon Detector	29
3 The Outer Tracker Simulation	31
3.1 Detector Description	32
3.1.1 The OT module	33
3.1.2 The OT stations, layers and quarters	37
3.2 Digitisation	39
3.2.1 Radius-to-Time (RT)-relation	40
3.2.2 Cell efficiency	42

3.2.3	Dead-time	43
3.2.4	Spill-over	45
3.2.5	Start of the readout window	45
3.2.6	Noise, cross-talk and double pulse	45
3.3	Estimated Detector Response	46
3.3.1	OT deposits	46
3.3.2	Occupancy	47
3.3.3	Efficiency	48
3.3.4	Drift distance resolution	50
3.4	Summary	51
4	Alignment Of The LHCb Detector	52
4.1	The Global Or Closed Form Alignment Method	53
4.1.1	Convergence	56
4.1.2	Weak modes	57
4.1.3	Constraints	58
4.2	Global Alignment With Kalman Filter Fitted Tracks	59
4.2.1	The Kalman filter method global covariance matrix \mathbf{C}	60
4.3	Global Alignment With LHCb Tracks	61
4.3.1	The hit residual \mathbf{r}	62
4.3.2	The partial derivative matrix $\mathbf{H} = \partial h(\vec{x})/\partial \vec{x}$	62
4.3.3	The partial derivative matrix $\mathbf{A} = \partial \mathbf{r}/\partial \alpha$	63
4.3.4	The Jacobian for local-to-global transformations	66
4.4	Implementation	67
4.5	Validation	68
4.5.1	Scenario	68
4.5.2	Procedure	69
4.5.3	Track sample and selection	69
4.5.4	Weak mode: xz -shearing	71
4.5.5	Convergence	73
4.5.6	Residual Δx mis-alignments	74
4.5.7	Track χ^2 and reconstructed J/ψ mass	77
4.6	Conclusion	77
5	Alignment Of The OT With Cosmic Rays	79
5.1	Cosmic Ray Rate	79
5.1.1	OT response	80
5.2	Cosmic Ray Tracks	81
5.2.1	Track finding	81
5.2.2	Track fitting	83
5.2.3	Properties	83
5.3	OT Survey	85
5.4	Alignment	88
5.4.1	C-frame alignment	90
5.4.2	Module alignment	97
5.4.3	Estimating the statistical and systematic errors	101
5.5	Conclusion	103

6	Effect Of Mis-Alignments On $B_s^0 \rightarrow J/\psi\phi$	105
6.1	The Scenarios	107
6.2	Procedure	108
6.3	Results	108
6.3.1	The reconstructed mass of the B_s^0 , J/ψ and ϕ	109
6.3.2	The reconstructed B_s^0 proper time	112
6.3.3	Resolutions on the transversity angles	117
6.3.4	Applying a J/ψ mass constraint in the vertex fit	117
6.4	Conclusion	120
	Summary	123
	Samenvatting	125
	Dankbetuigings	127
	Bibliography	129